

WebScan Driver

Installation Guide

6/30/16


www.fisglobal.com



WebScan Driver Installation & User Profile Instructions for FIS' CCX (Commercial Capture Xpress)

WebScan Driver Installation Instructions


1. Select the **Documentation** option at the bottom left column menu on the CCX home screen.




On the resulting screen, select the **WebScan** option under the **Scanner Drivers and Documentation** header.

2. The **WebScan** installation information screen contains a **Current Driver Installation Package** section and a **Supplemental Installers** section. In the **Current Driver Installation Package** section, first select the **WebScan Driver Prerequisites (PDF)** and review/compare to the machine where WebScan is being installed. Based on what is found, there may be a need for one or more of the steps in the **Supplemental Installers** section to be followed first. Once the prerequisites are satisfied, the


Installation Instructions (PDF) in the **Current Driver** section should be downloaded and followed. This will ultimately lead to starting the **Driver Installation Package** itself to install the WebScan option.



3. Click on any PDF lines desired to review instructions. If the following error is encountered, then click on the *Open this content in new window* option provided on the pop-up. This will open the PDF in a new browser tab. Use the back arrow in upper left to return to the screen shown above for a different selection.




4. Once the prerequisites have been met, select the **Driver Installation Package**, then select **Save**.




5. Select Run.




6. Select Next.




7. Select Next.




8. Select Next.



9. Select OK.



10. Select Close.



WebScan User Profile Instructions

Scanner designations are controlled at the User level. Each user's profile must include a scanner choice which matches the equipment they use to scan items.

Follow the steps listed below to use the appropriate WebScan driver:

1. From the top right corner of the screen, first select the **Profile** option, then the desired scanner value, and then select the **Update Profile** button to assign the desired value to the **User** profile.

2. The following **WebScan Scanner** options are available in the **Scanner** dropdown menu:

CCX Profile Scanner Option	Scanners Supported
Burroughs SmartSource WebScan	Burroughs SmartSource Scanners
Canon {model #} WebScan	Canon CR80, CR180, CR190, CR25-55
Digital Check WebScan	TellerScan TS215, TS230, TS240, 4120, CheXpress CX30
Epson CaptureOne WebScan	Epson CaptureOne
Panini WebScan	Panini IDEal, VisionX, wIDEal